

Electromagnetic Lock Installation User Guide (In-door Models)



Model Spec	1500D-S	1500D-LED
Holding Force	Upto 1500lbs x2 (680 kg x2)	Upto 1500lbs x2 (680 kg x2)
Voltage Input	12VDC / 24VDC	12VDC / 24VDC
Dimension	(L)560 x (W)76 x (T)47 (mm)	(L)560 x (W)76 x (T)47 (mm)
Current Draw	450mA x2 / 220mA x2	450mA x2 / 220mA x2





Set the jumper position according to the power input correctly before switch ON the power.

General Installation Steps & Maintainance

- 1. Drill the armature plate holes in the door using the sticker template provided.
- 2. Attach the armature plate to the door with the hardware provided as per the illustration.
- 3. With the door closed, mark the door frame at the edge of the armature in order to properly align the electromagnet to the armature.
- 4. Attach the mounting plate to the door frame using the self-tapping screws provided. Align the mounting plate with the mark from the previous instruction.
- 5. Insert the wires through the hole in the mounting plate and into the electromagnet unit. Attach the electromagnet unit to the mounting plate with the Allen head fixing screw.
- 6. Screw in the anti-tamper nuts to prevent unauthorized access and make sure to fully tighten the fixing screw with proper tool "T" Handle Allen Key.
- 7. Connect the power wires according to the instruction and test the system.
- 8. It is recommended that to apply a light coat of silicon lubricant to the mating surface on a monthly basis to prevent rust.

Trouble Shooting

- Sensor not functioning
 - Improper attachment of electromagnet and armature plate
 - Modification of the PCB
- 2. Door not locked
 - Incorrect wiring or no power from power supply
- 3. Reduced holding force
 - Poor contact of electromagnet and armature.
 - Be sure armature is loose enough that it can fully contact electromagnet along the entire length.
 - Mating surface is dusty or damaged.
 - Improper input voltage or wire size.

Remark: Drawing maybe differ from actual product.
Copyright © 686LCO Industries Sdn. Bhd. All Right Reserved.
EISB-EMS-IG Ver.A Publish: 28.11.2018